

	Ref #	Hits	Search Text	DBs
1	S1	2	"2001285822"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	S2	2	"6115057".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	S3	7	"6226793"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	S4	3	"9944361"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	S5	14	"1071283"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	S6	606	(v adj chip vchip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	S7	775	(parent\$1 mother\$1 father\$1) with (determin\$4 specif\$4 indicat\$4) with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	S8	0	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	S9	8	S7 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	S10	2	"6718178".pn. and sms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	S11	2	"6718178".pn. and (tv television\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	S12	3	eurocypher	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	S13	1360	(operator\$1 administrator\$1) with (creat\$4 specify\$4) with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	S14	1107	message same (EMM entitlement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	S17	18	S13 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
16	S18	94	(personnel) with (creat\$4 specify\$4) with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	S19	0	S18 same S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	S20	7	S18 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	S22	94	(personnel) with (creat\$4 specify\$4) with (emm ecm message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	S23	4070	entitlement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	S24	7	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	S26	9	S22 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	S29	2092	(person\$1el\$1 operator\$1 admin\$1 administrator\$1 programmer\$1) with (creat\$4 specify\$4 edit\$4) with (emm ecm message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	S30	21	S29 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	S31	30548	yamauchi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	S35	12806	(conditional\$2 parental\$2) near4 (control\$2 access\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	S36	12	S31 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	S37	126	yamauchi-atsushi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	S38	94	(personnel) with (creat\$4 specify\$4) with (emm ecm message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
30	S39	4	S38 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	S40	8	"200103341"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	S41	3	"7092729".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	S42	16	("20010011350" "20020080160" "20030133418" "5966663" "6005565" "6057872" "6133912" "6226098" "6229621" "6307939" "6393562" "6449494" "6466671" "6539212" "6912519" "6951029").PN.	US-PGPUB; USPAT; USOCR
34	S43	36	(cirrus.asn. thomson.asn.) and emm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	S44	13	(cirrus.asn. thomson.asn.) and emm and (creat\$4 specif\$ edit\$4) same message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
1	S1	139	725/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	S3	179	S2 not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	S4	636	725/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	S5	83	725/27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	S6	46	S5 not (S1 S2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	S7	493	S4 not (S1 S2 S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	S8	41	S2 and (addressable addressed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	S9	614	emm and entitlement\$1 adj2 (manag\$6) adj messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	S10	7	S9 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	S11	301	emm same (block\$4 restrict\$4 inhibit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	S12	119	S11 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	S13	0	S11 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	S14	12	S11 and (S1 S2 S4 S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	S15	44687	(block\$4 restrict\$4 inhibit\$4) near2 code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	S16	139	deauthoriz\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
16	S17	229	de\$3authoriz\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	S18	15	S17 and (S1 S2 S4 S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	S19	0	do adj2 watch\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	S20	24456	forbid\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	S22	6	tivo.asn. and parent\$4 adj2 control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	S23	214587	prohibit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	S24	116	S23 and (S1 S2 S4 S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	S26	8	(S1 S2 S4 S5) and S23 same (pin password\$1 passcode\$1 pass adj code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	S27	14	"463"/\$.ccls. and S23 same (pin password\$1 passcode\$1 pass adj code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	S21	15	S20 and (S1 S2 S4 S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	S28	7153	request\$4 near4 permission\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	S29	59	S28 and (S1 S2 S4 S5 "463"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	S30	801	463/29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	S31	10	463/29.ccls. and (parent\$3 adj control\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	S33	27	(parent\$3 adj control\$3) with (remotely remote adj (location\$1 computer\$1 terminal\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
31	S32	19	(parent\$3 adj control\$3) with remotely	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	S34	8	S33 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	S2	212	725/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	S35	256	voluntar\$4 near4 (restrict\$4 blocking blocked inhibit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	S36	2	S35 and (S1 S2 S4 S5 "463"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	S37	2	"7185352".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	S38	592	ecm and emm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	S39	151	S38 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	S40	129	emm same (personalis\$6 personaliz\$6 customiz\$6 individual\$6 custom) with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	S41	189	emm same (personalis\$6 personaliz\$6 customiz\$6 individual\$6 custom specific\$4) with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	S42	18	S41 and (S1 S2 S4 S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	S43	28319	doubl\$5 near4 (lock\$4 block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	S45	117	S40 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	S46	7	emm same (personalis\$6 personaliz\$6 customiz\$6 custom) with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
45	S48	16	emm same (personalis\$6 personaliz\$6 customiz\$6 individual\$6 custom specific\$4 creat\$4 input\$4) adj2 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	S51	32	(US-20060277566-\$ or US- 20050240961-\$ or US- 20050125822-\$ or US- 20040210924-\$ or US- 20030061606-\$ or US- 20060041903-\$ or US- 20020010920-\$ or US- 20050028207-\$ or US- 20030126594-\$ or US- 20030051238-\$ or US- 20070124760-\$ or US- 20030037329-\$ or US- 20020023262-\$ or US- 20040019903-\$ or US- 20020128061-\$ or US- 20070011705-\$ or US- 20060031883-\$ or US- 20050251827-\$ or US- 20050022229-\$ or US- 20030169879-\$ or US- 20020120928-\$).did. or (US- 4890319-\$ or US-6889207-\$ or US-6732367-\$ or US-6804357-\$ or US-6115079-\$ or US-6020882-\$ or US-6854009-\$ or US-6760382-\$ or US-6487720-\$ or US-5991400-\$ or US-7191335-\$).did.	US-PGPUB; USPAT
47	S52	8	(S50 S51) and emm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	S53	252	emm same (parent\$4 adj2 control\$3 block\$4 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	S54	91	emm with (parent\$4 adj2 control\$3 block\$4 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	S58	1	emm near4 (edit\$4) and emm same (parent\$4 adj2 control\$3 block\$4 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
51	S57	52	emm near4 (generat\$4 creat\$4) and emm same (parent\$4 adj2 control\$3 block\$4 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	S59	6	emm near4 (generat\$4 creat\$4) near4 (user\$1 viewer\$1 operator\$1) and emm same (parent\$4 adj2 control\$3 block\$4 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	S61	16	(user\$1 viewer\$1 operator\$1) with emm with (edit\$4 modif\$4 generat\$4 creat\$4) and emm same (parent\$4 adj2 control\$3 block\$4 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	S62	10	S61 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	S63	3	emm with rating\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	S50	16	"20060031883" ("6020882" "4605964" "6212679" "6360367" "20020095673" "20020013941" "5001554").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
1	S1	144275	(display\$4) with (notification\$1 notif\$4 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	S8	144649	(display\$4) with (notification\$1 notif\$4 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	S9	636	725/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	S10	83	725/27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	S11	212	725/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	S12	88	725/29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	S13	139	725/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	S14	741	725/31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	S15	274	S8 and (S9 S10 S11 S12 S13 S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	S16	76	S8 and (S11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	S18	2	"4890321".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	S17	2	"5699104".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	S19	547028	(block\$3 lock\$3) same (identification\$1 identif\$4 id ids)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	S20	324	S19 and (S9 S10 S11 S12 S13 S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	S27	637	attempt\$4 near4 (over\$2rid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
16	S28	6	S27 and (S9 S10 S11 S12 S13 S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	S29	7522	(over\$2rid\$4) same (pin passcode\$1 password\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	S30	27	S29 and (S9 S10 S11 S12 S13 S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	S31	6327	display\$4 same (custom\$4 personal\$5) near\$5 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	S32	19	S31 and (S9 S10 S11 S12 S13 S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	S34	1	705/1.ccls. and (v adj chip vchip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	S35	1	("2003/0046100").URPN.	USPAT
23	S36	16	"705"/\$.ccls. and (v adj chip vchip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	S37	31781	view\$4 with restrict\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	S38	636	725/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	S39	83	725/27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	S40	212	725/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	S41	88	725/29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	S42	139	725/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	S43	741	725/31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
31	S44	145	S37 and (S38 S39 S40 S41 S42 S43)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	S46	35010	(personal individual custom personalis\$6 personaliz\$6 individuali\$7 customi\$7) near4 (message\$1 note notes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	S47	60	S46 and (S38 S39 S40 S41 S42 S43)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	S50	110	(personal individual custom personalis\$6 personaliz\$6 individuali\$7 customi\$7) near4 (message\$1 note notes) with (parent\$2 father\$1 mother\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	S51	1	S50 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	S52	5746	(message\$1 note notes) with (parent\$2 father\$1 mother\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	S53	18	(message\$1 note notes) with (parent\$2 father\$1 mother\$1) same (caution\$4 warn\$4 advis\$4) with (child\$1 children\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	S54	49	(message\$1 note notes) with (parent\$2 father\$1 mother\$1) same (inappropriat\$4 appropriat\$4) near4 content\$1 same (child\$1 children\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	S57	5746	(message\$1 note notes) with (parent\$2 father\$1 mother\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	S59	31781	view\$4 with restrict\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	S60	163	S59 and S57	US-PGPUB; USPAT; USOCR
42	S62	104	(message\$1 note notes) with (parent\$2 father\$1 mother\$1) same (alert\$4) same (child\$1 children\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	S65	50	S62 and (television tv video\$1 game\$1 gaming\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
44	S68	2	"6212679".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	S69	113	(message\$1 note notes) with (parent\$2 father\$1 mother\$1) same (notify\$3 notificat\$5) with (child\$1 children\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	S70	164	(parent\$2 father\$1 mother\$1) same (notify\$3 notificat\$5) with (message\$1 note notes) same (child\$1 children\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	S73	83	(S69 S70) and (television tv video\$1 game\$1 gaming\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	S74	122	S60 and (catv television tv video\$1 game\$1 gaming\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	S78	571	(((message\$1 note notes) same (inappropriat\$4 appropriat\$4)) or (notification\$1 notify\$3 alert\$4)) and (parental adj2 control\$1) same (catv television tv video\$1 game\$1 gaming\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	S77	635	(((message\$1 note notes) same (inappropriat\$4 appropriat\$4)) or (notification\$1 notify\$3 alert\$4)) and (parent\$3 adj2 control\$1) same (catv television tv video\$1 game\$1 gaming\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	S80	15832	"725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	S81	262	S80 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	S82	65017	"463"/\$.ccls. "273"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	S83	42	S82 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	S84	29999	"715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
56	S85	55043	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	S86	57	S85 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	S87	123433	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	S89	39	S84 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	S88	27	S87 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	S90	35	("20040117831" "20050169255" "20050204382" "5577102" "5590186" "5742668" "5765108" "5768276" "5806000" "5839076" "5878397" "5915222" "5933778" "5946629" "5946630" "5978685" "6005845" "6035104" "6049713" "6112084" "6119167" "6128481" "6134432" "6138006" "6138146" "6167248" "6212377" "6219694" "6223046" "6249808" "6253061" "6289223" "6308075" "6349140" "6360272") .PN.	US-PGPUB; USPAT; USOCR
62	S91	2	(parent\$3 adj2 control\$1) AND S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	S92	0	(parent\$3 adj2 control\$1) same (custom personaliz\$6 personalis\$6 customiz\$6) adj2 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	S93	408	(parent\$3 adj2 control\$1) same message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	S94	70	S93 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
66	S95	10	(parent\$3 adj2 control\$1 content\$1 near4 (block\$4 restrict\$5) view\$3 near4 restrict\$5) same (custom personaliz\$6 personalis\$6 customiz\$6) adj2 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	S99	48	(parent\$3 adj2 control\$1 content\$1 near4 (block\$4 restrict\$5) view\$3 near4 restrict\$5) and stop adj2 view\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	S97	6	(parent\$3 adj2 control\$1 content\$1 near4 (block\$4 restrict\$5) view\$3 near4 restrict\$5) same (supervisor\$4) NEAR3 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	S105	165	display\$4 with (restricted adj2 access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	S107	46	S105 and (S80 S82 S84 S85)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	S108	2	"4890321".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	S109	22	(parent\$3 adj2 control\$1 content\$1 near4 (block\$4 restrict\$5) view\$3 near4 restrict\$5) same (custom personaliz\$6 personalis\$6 customiz\$6 PRE ADJ STORED PRESTORED pre\$2determin\$4) adj2 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	S110	112	(parent\$3 adj2 control\$1 content\$1 near4 (block\$4 restrict\$5) view\$3 near4 restrict\$5) and stop adj2 (watch\$4 view\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	S111	1	(parent\$3 adj2 controlled) same message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	S112	416	(parent\$3 adj2 controlled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
76	S113	15832	"725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	S114	65017	"463"/\$.ccls. "273"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	S115	29999	"715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	S116	55043	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	S117	14	(parent\$3 adj2 controlled) and (S113 S114 S115 S116)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	S118	144669	(display\$4) with (notification\$1 notif\$4 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	S119	636	725/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	S120	83	725/27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	S121	212	725/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	S122	88	725/29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	S123	139	725/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	S124	741	725/31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	S125	274	S118 and (S119 S120 S121 S122 S123 S124)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	S126	1514	(S119 S120 S121 S122 S123 S124)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
90	S127	89	(display\$4) with (screen adj2 saver\$1 notification\$1 notif\$4 message\$1 warning\$1) same (block\$4 dis\$2abl\$4 restrict\$4) and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	S128	6	(display\$4) with (screen adj2 saver\$1 notification\$1 notif\$4 message\$1 warning\$1) same (inhibit\$4) and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	S129	40	(display\$4) with (custom customiz\$6 personaliz\$6 personalis\$6) and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	S133	161046	(S113 S114 S115 S116)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	S134	11	(display\$4) with (custom customiz\$6 personaliz\$6 personalis\$6) with (screen\$1 adj saver\$1) and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	S136	2485	parental\$2 adj2 control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	S137	985	(lock\$2out\$1 blocked blocking inhibit\$4 restrict\$4) near5 (program\$4 show\$1 video\$1 game\$1 gaming\$1 movie\$1) same (rating\$1 content adj advisory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	S138	161	S136 and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	S139	1	S138 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	S140	58	S136 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	S141	113857	(lock\$2out\$1 blocked blocking inhibit\$4 restrict\$4) same (pin pass adj code\$1 passcode\$1 password\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	S142	146	S141 same S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
102	S143	5	S142 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	S144	9	S141 and S137 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	S145	9123	(lock\$2out\$1 blocked blocking inhibit\$4 restrict\$4) and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
105	S146	38	(lock\$2out\$1 blocked blocking inhibit\$4 restrict\$4) and S136 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	S147	1961	(user\$1 viewer\$1 child\$1 children\$1 minor\$1) with (attempts attempting attempted) with (password\$1 pass\$2code\$1 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
107	S148	24	S147 and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	S149	15	S147 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
109	S150	390	(child\$1 children\$1 minor\$1) with (password\$1 pass\$2code\$1 pin) same (lock\$2out\$1 blocked blocking inhibit\$4 restrict\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	S151	24	S150 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
111	S152	1579	(child\$1 children\$1 minor\$1) same (dis\$1obey\$3 mis\$2behav\$4 contraven\$5 break\$4 ignor\$4 neglect\$4 hack\$4) same (password\$1 pass\$2code\$1 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
112	S153	3	S152 and S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	S155	3	S152 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
114	S157	0	S152 and "386"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
115	S158	7	"2003103627" "5331353".pn. "20020013941"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
116	S159	3	"2002101524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
117	S154	20	S152 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
118	S156	12	S152 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
119	S160	1	(parent\$3 adj2 controlled) and S152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
120	S161	1	S152 and (v adj chip\$1 vchip\$1 violen\$3 adj chip\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
121	S162	1557	(child\$1 children\$1 minor\$1) same (dis\$1obey\$3 mis\$2behav\$4 contraven\$5 break\$4 ignor\$4 neglect\$4 guess\$4) same (password\$1 pass\$2code\$1 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
122	S163	0	S162 and (v adj chip\$1 vchip\$1 violen\$3 adj chip\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
123	S164	1	(parent\$3 adj2 controlled) and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
124	S165	2	"4890321".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
125	S166	2	"5699104".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
126	S167	37	(US-20060026279-\$ or US-20030061606-\$ or US-20030188307-\$ or US-20060242662-\$ or US-20050086069-\$ or US-20040051733-\$ or US-20070060136-\$ or US-20050228881-\$ or US-20050120082-\$ or US-20050015804-\$ or US-20020065890-\$ or US-20050096009-\$ or US-20050130586-\$ or US-20030125033-\$ or US-20040015985-\$ or US-20020116703-\$ or US-20020095673-\$ or US-20060064715-\$ or US-20060075423-\$ or US-20060093142-\$).did. or (US-4450481-\$ or US-4245245-\$ or US-6852033-\$ or US-6445783-\$ or US-7054654-\$ or US-5574728-\$ or US-6212679-\$ or US-RE36988-\$ or US-6360367-\$ or US-5990927-\$ or US-5001554-\$ or US-4605973-\$ or US-4605964-\$ or US-4520404-\$ or US-4890319-\$).did. or (WO-2002101524-\$ or US-7054654-\$).did.	US-PGPUB; USPAT; DERWENT
127	S168	16	S167 and (password\$1 pass adj code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
128	S169	18	S167 and (password\$1 pass adj code\$1 passcode\$1 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
129	S170	12	"1034125"	USOCR; JPO; DERWENT
130	S171	3	"10341425"	USOCR; JPO; DERWENT
131	S172	3705	fuji.asn. and (game gaming\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
132	S174	3	fuji.asn. and (game gaming\$1) AND WARNING adj2 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
133	S173	48	fuji.asn. and (game gaming\$1) AND WARNING	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB